

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Robert Havlin
SHINJI NARA ET AL.	)	
	:	Art Unit: 1626
Appln. No.: 10/561,415	)	
	:	Conf. No.: 6544
Filed: December 19, 2005	)	
	:	
For: HSP90 FAMILY	)	
PROTEIN INHIBITORS	:	
	)	
U.S. Patent No.: US 7,538,224 B2	:	
	)	
Issued: May 26, 2009	:	November 4, 2009

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

SUPPLEMENTAL CERTIFICATE OF CORRECTION UNDER RULE 323

Sir:


Further to the Certificate of Correction filed September 18, 2009, it is respectfully requested that a Supplemental Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

For the Examiner's convenience, the change at column 42 is simply grammatical. The remaining changes all correct errors that were inadvertently introduced in the previous Certificate of Correction.

The amount of \$100.00 to cover the statutory fee for such Certificate of Correction is being paid concurrently; please charge any deficiency in this fee, and credit any overpayment, to Deposit Account 06-1205.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Lawrence S. Perry', with a long horizontal flourish extending to the right.

Lawrence S. Perry  
Attorney for Patentees  
Registration No. 31,865

FITZPATRICK, CELLA, HARPER & SCINTO  
1290 Avenue of the Americas  
New York, New York 10104-3800  
Facsimile: (212) 218-2200

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 7,538,224 B2

DATED : May 26, 2009

INVENTOR(S) : SHINJI NARA ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 42:

Line 62, "were on the same plate wherein" should read --were placed on the same plate as--; and

Line 62, "was placed" should be deleted.

COLUMN 128:

Line 21, " $(C_{22}H_{34}N_2O_6 \cdot 0.4H_2O)$ " should read -- $(C_{27}H_{34}N_2O_6 \cdot 0.4H_2O)$ --.

COLUMN 144:

Line 41, " $H_2$ , 3H) ¶ APCI-MS" should read --Hz, 3H) ¶ APCI-MS--.

COLUMN 152:

Line 18, "(wherein  $R^{2A}$ " should read --(wherein  $R^{2a}$ --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
1290 Avenue of the Americas  
New York, New York 10104-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,538,224 B2

No. of add'l copies  
@ 30¢ per page